
Rev. 0 of 05/01/2023









+39 0833 95 50 13 WWW.DIMCAR.IT **INFO@DIMCAR.IT**  VIA TAURISANO 101, Z.A. 73059 UGENTO (LE) ITALY P.I. C.F. 031129830752 REA LE 200574 CAP SOC. SOC. € 2.000.000.00

Rev. 0 of 05/01/2023



DESCRIPTION

## Structure

Komete model planter, linear shape, characterized by rounded edges. Consisting of a single support made of 4 mm thick galvanized sheet metal, characterized on the two long sides by stylized decorative carvings and a shaped upper hole, obtained by cutting with laser technology.

Shaped side and internal panels, made of 2 mm thick galvanized sheet metal.

Internal tub made of galvanized sheet metal. The structure is equipped at the base with holes for fixing to the ground.

Rev. 0 of 05/01/2023



# COLOR FINISH AS PROVIDED IN THE CATALOG

RAL 9010 (Support)

RAL 1018 (Decorations)

Customers can request a different finish from the RAL color options available on our website.

Rev. 0 of 05/01/2023



## ANTICORROSIVE TREATMENTS AND FINISHES

#### Washing

Spray treatment for removing oil and grease from metal surfaces using special degreasing liquids. Subsequent drying in dryer for 15 minutes.

#### Sandblasting

Manual sandblasting process with river sand, which increases the porosity of metal surfaces and thus the adhesion of thermosetting powders.

### Anti-corrosive application

First painting cycle with an anticorrosive thermosetting powder primer based on epoxy resins and special pigments. It provides adequate protection against weathering.

## Anticorrosive polymerization

Baking in an industrial curing oven at a temperature of 180°C. During this stage, the powder turns into a uniform, smooth and durable coating.

## **Colored finish application**

Final coating cycle with thermosetting powders. Application follows the same principles as the anticorrosive.

### Polymerization colored finish

Final baking in an industrial curing oven at a temperature of 180°C. The procedure follows the same principles as the curing of the anticorrosive. The powder is transformed into a uniform coating, and the surface appearance takes on the characteristics of the chosen color type, e.g. smooth, textured, wrinkled, etc.

Rev. 0 of 05/01/2023



#### DELIVERY

FIXING

Product supplied already assembled with steel hardware and instructions for ground fixing.

The product does not require anchoring to the ground.

**CORPORATE CERTIFICATIONS** 

ISO 9001:2015

Quality management system.

# UNI EN ISO 3834-3:2021

Welding quality management system.

### **Processing center**

Certificate of Processing Center