
Rev. 0 of 05/09/2024









# Datasheet

Komete ashtray Product code D823

Rev. 0 of 05/09/2024



DESCRIPTION

#### Structure

Consisting of a vertical support with rounded edges, made of galvanized sheet metal section mm. 150x8, with lateral faces characterized by stylised decorative carvings obtained by laser cutting. Support provided at the base with holes for fixing to the ground.

Upper container consisting of a trapezoidal-shaped box made of galvanized sheet metal, equipped with a lock for opening and emptying.

Overall weight: 14Kg

വ

# Datasheet Komete ashtray Product code D823

Rev. 0 of 05/09/2024



#### **COLOR FINISH AS PROVIDED IN THE CATALOG**





Customers can request a different finish from the RAL color options available on our website.

## Datasheet

Komete ashtray
Product code D823

Rev. 0 of 05/09/2024



#### ANTICORROSIVE TREATMENTS AND FINISHES

#### Washing

Spray treatment for removing oil and grease from metal surfaces using special degreasing liquids. Subsequent drying in dryer for 15 minutes.

### Sandblasting

Manual sandblasting process with river sand, which increases the porosity of metal surfaces and thus the adhesion of thermosetting powders.

#### **Anti-corrosive application**

First painting cycle with an anticorrosive thermosetting powder primer based on epoxy resins and special pigments. It provides adequate protection against weathering.

### **Anticorrosive polymerization**

Baking in an industrial curing oven at a temperature of 180°C. During this stage, the powder turns into a uniform, smooth and durable coating.

### Colored finish application

Final coating cycle with thermosetting powders. Application follows the same principles as the anticorrosive.

## Polymerization colored finish

Final baking in an industrial curing oven at a temperature of 180°C. The procedure follows the same principles as the curing of the anticorrosive. The powder is transformed into a uniform coating, and the surface appearance takes on the characteristics of the chosen color type, e.g. smooth, textured, wrinkled, etc.

# Datasheet

## Komete ashtray Product code D823

Rev. 0 of 05/09/2024



DELI۱	<b>VERY</b>
-------	-------------

Product supplied already assembled with steel hardware and instructions for ground fixing.

**FIXING** 

The product is prepared for fixing to the ground using anchor bolts and expansion plugs.

**CORPORATE CERTIFICATIONS** 

#### ISO 9001:2015

Quality management system.

#### **UNI EN ISO 3834-3:2021**

Welding quality management system.

### **Processing center**

Certificate of Processing Center

2