


Datasheet
Komete bike rack
Product code D825

Rev. 0 of 05/09/2024



1/5



Datasheet

Komete bike rack
Product code D825

Rev. 0 of 05/09/2024



DESCRIPTION

Structure

Consisting of a shaped support with rounded edges, made of galvanized sheet metal section mm. 150x8, with lateral faces characterized by stylized decorative carvings obtained by laser cutting. Support provided with holes at the base for fixing to the ground.

Upper decorative element consisting of a trapezoidal box made of galvanized sheet metal which is repeated on each upper element.

The support is designed for inserting the bike from both sides.

Total weight: 58Kg

Datasheet

Komete bike rack
Product code D825

Rev. 0 of 05/09/2024



COLOR FINISH AS PROVIDED IN THE CATALOG



RAL 9010
(Support)



RAL 2000
(Decorations)

Customers can request a different finish from the RAL color options available on our website.

Datasheet

Komete bike rack
Product code D825

Rev. 0 of 05/09/2024



ANTICORROSIVE TREATMENTS AND FINISHES

Washing

Spray treatment for removing oil and grease from metal surfaces using special degreasing liquids. Subsequent drying in dryer for 15 minutes.

Sandblasting

Manual sandblasting process with river sand, which increases the porosity of metal surfaces and thus the adhesion of thermosetting powders.

Anti-corrosive application

First painting cycle with an anticorrosive thermosetting powder primer based on epoxy resins and special pigments. It provides adequate protection against weathering.

Anticorrosive polymerization

Baking in an industrial curing oven at a temperature of 180°C. During this stage, the powder turns into a uniform, smooth and durable coating.

Colored finish application

Final coating cycle with thermosetting powders. Application follows the same principles as the anticorrosive.

Polymerization colored finish

Final baking in an industrial curing oven at a temperature of 180°C. The procedure follows the same principles as the curing of the anticorrosive. The powder is transformed into a uniform coating, and the surface appearance takes on the characteristics of the chosen color type, e.g. smooth, textured, wrinkled, etc.

Datasheet

Komete bike rack
Product code D825

Rev. 0 of 05/09/2024



DELIVERY

Product supplied in assembly kit with steel hardware and instructions for mounting and grounding.

FIXING

The product is prepared for fixing to the ground using anchor bolts and expansion plugs.

CORPORATE CERTIFICATIONS

ISO 9001:2015

Quality management system.

UNI EN ISO 3834-3:2021

Welding quality management system.

Processing center

Certificate of Processing Center