




1/5



Datasheet

Charlie ashtray

Product code G480

Rev. 0 of 13/06/2022



DESCRIPTION

Structure

Consisting of a single block obtained by shaping by laser cutting a round tube of galvanized steel with a diameter of 114 mm.

Container (removable type) inserted inside a special compartment secured by a lock and complete with a circular plate in AISI 304 stainless steel sheet.

The plate is equipped with special tabs for lifting and extracting the container. Upper disk with stylised carving.

Overall weight: 11Kg

Datasheet

Charlie ashtray

Product code G480

Rev. 0 of 13/06/2022



COLOR FINISH AS PROVIDED IN THE CATALOG



RAL 7001
(Description)



RAL 3020
(Disco)

Customers can request a different finish from the RAL color options available on our website.

ANTICORROSIVE TREATMENTS AND FINISHES

Washing

Spray treatment for removing oil and grease from metal surfaces using special degreasing liquids. Subsequent drying in dryer for 15 minutes.

Sandblasting

Manual sandblasting process with river sand, which increases the porosity of metal surfaces and thus the adhesion of thermosetting powders.

Anti-corrosive application

First painting cycle with an anticorrosive thermosetting powder primer based on epoxy resins and special pigments. It provides adequate protection against weathering.

Anticorrosive polymerization

Baking in an industrial curing oven at a temperature of 180°C. During this stage, the powder turns into a uniform, smooth and durable coating.

Colored finish application

Final coating cycle with thermosetting powders. Application follows the same principles as the anticorrosive.

Polymerization colored finish

Final baking in an industrial curing oven at a temperature of 180°C. The procedure follows the same principles as the curing of the anticorrosive. The powder is transformed into a uniform coating, and the surface appearance takes on the characteristics of the chosen color type, e.g. smooth, textured, wrinkled, etc.

Datasheet

Charlie ashtray

Product code G480

Rev. 0 of 13/06/2022



DELIVERY

Product supplied in assembly kit with steel hardware and instructions for mounting and grounding.

FIXING

The product is prepared for fixing to the ground using anchor bolts and expansion plugs.

CORPORATE CERTIFICATIONS

ISO 9001:2015

Quality management system.

UNI EN ISO 3834-3:2021

Welding quality management system.

Processing center

Certificate of Processing Center