

# Datasheet


## Formaggino litter bin

Product code G560

Rev. 0 of 07/08/2020



1/5



Dimcar reserves the right to make, at any time, changes on the products deemed useful to improve the quality of the same; the images contained in the sheets may not faithfully reproduce the real colors of the items.

# Datasheet

Formaggino litter bin

Product code G560

Rev. 0 of 07/08/2020



## DESCRIPTION

### Structure

The Formaggino basket was born as a new form of furniture designed for use by children, with playful and unique lines, designed to be child-sized. The basket is made of a shaped shaft, made of 2 mm thick galvanized steel sheet and an internal frame in Ø 25x1.5 mm galvanized steel round tube.

- The base is equipped with holes for fixing to the ground; furthermore, the structure is raised from the ground by means of galvanized steel profile supports, in order to avoid contact with the entire bottom surface and allow rainwater to drain away.
- The external body is characterized by stylised carvings, obtained by cutting with laser technology, which reproduce the "typical" holes of cheese.
- In addition to aesthetics, the holes were designed for the introduction of waste.

**Overall weight:** 34Kg

# Datasheet

Formaggino litter bin

Product code G560

Rev. 0 of 07/08/2020



COLOR FINISH AS PROVIDED IN THE CATALOG



RAL 1018  
( Steel parts )

Customers can request a different finish from the RAL color options available on our website.

# Datasheet

Formaggino litter bin

Product code G560

Rev. 0 of 07/08/2020



## ANTICORROSIVE TREATMENTS AND FINISHES

### Washing

Spray treatment for removing oil and grease from metal surfaces using special degreasing liquids. Subsequent drying in dryer for 15 minutes.

### Sandblasting

Manual sandblasting process with river sand, which increases the porosity of metal surfaces and thus the adhesion of thermosetting powders.

### Anti-corrosive application

First painting cycle with an anticorrosive thermosetting powder primer based on epoxy resins and special pigments. It provides adequate protection against weathering.

### Anticorrosive polymerization

Baking in an industrial curing oven at a temperature of 180°C. During this stage, the powder turns into a uniform, smooth and durable coating.

### Colored finish application

Final coating cycle with thermosetting powders. Application follows the same principles as the anticorrosive.

### Polymerization colored finish

Final baking in an industrial curing oven at a temperature of 180°C. The procedure follows the same principles as the curing of the anticorrosive. The powder is transformed into a uniform coating, and the surface appearance takes on the characteristics of the chosen color type, e.g. smooth, textured, wrinkled, etc.

4/5

Dimcar reserves the right to make, at any time, changes on the products deemed useful to improve the quality of the same; the images contained in the sheets may not faithfully reproduce the real colors of the items.

# Datasheet

Formaggino litter bin

Product code G560

Rev. 0 of 07/08/2020



---

## DELIVERY

Product supplied already assembled with steel hardware and instructions for ground fixing.

---

## FIXING

The product is prepared for fixing to the ground using anchor bolts and expansion plugs.

---

## CORPORATE CERTIFICATIONS

### ISO 9001:2015

Quality management system.

### UNI EN ISO 3834-3:2021

Welding quality management system.

### Processing center

Certificate of Processing Center