

Datasheet

Folding coffin holder

Product code RG100

Rev. 0 of 31/10/2024



Datasheet

Folding coffin holder

Product code RG100

Rev. 0 of 31/10/2024



DESCRIPTION

STRUCTURE

- Foldable coffin holder made of Ø mm galvanized steel round tube. 30x1.5. The contact points of the structure (upper part) are covered with a non-slip PVC profile.
- Decorative crosses in galvanized solid round; hinges for quick opening and closing of the coffin holder
- N. 8 PVC feet, at the base, to avoid direct contact of the structure with the ground.

Datasheet

Folding coffin holder

Product code RG100

Rev. 0 of 31/10/2024



COLOR FINISH AS PROVIDED IN THE CATALOG



Gunmetal gray
(Steel parts)

Customers can request a different finish from the RAL color options available on our website.

PRODUCT VARIANTS



Product code 294 - Pair of coffin stands

Datasheet

Folding coffin holder

Product code RG100

Rev. 0 of 31/10/2024



ANTICORROSIVE TREATMENTS AND FINISHES

Washing

Spray treatment for removing oil and grease from metal surfaces using special degreasing liquids. Subsequent drying in dryer for 15 minutes.

Sandblasting

Manual sandblasting process with river sand, which increases the porosity of metal surfaces and thus the adhesion of thermosetting powders.

Anti-corrosive application

First painting cycle with an anticorrosive thermosetting powder primer based on epoxy resins and special pigments. It provides adequate protection against weathering.

Anticorrosive polymerization

Baking in an industrial curing oven at a temperature of 180°C. During this stage, the powder turns into a uniform, smooth and durable coating.

Colored finish application

Final coating cycle with thermosetting powders. Application follows the same principles as the anticorrosive.

Polymerization colored finish

Final baking in an industrial curing oven at a temperature of 180°C. The procedure follows the same principles as the curing of the anticorrosive. The powder is transformed into a uniform coating, and the surface appearance takes on the characteristics of the chosen color type, e.g. smooth, textured, wrinkled, etc.

DELIVERY

Product supplied already assembled, no need for fastening hardware.

FIXING

Fixing not necessary

CORPORATE CERTIFICATIONS

ISO 9001:2015

Quality management system.

UNI EN ISO 3834-3:2021

Welding quality management system.

Processing center

Certificate of Processing Center