
Datasheet Stilo Bollard Product code 232

Rev. 1 of 07/01/2020









Datasheet

Stilo Bollard Product code 232

Rev. 1 of 07/01/2020



DESCRIPTION

Structure

Column made of round tube of galvanized steel \emptyset mm. 114x3 complete with semi-spherical steel cap. Upper element in turned steel, characterized by decorative horizontal slits.

Total weight: 13Kg

Rev. 1 of 07/01/2020



COLOR FINISH AS PROVIDED IN THE CATALOG



Customers can request a different finish from the RAL color options available on our website.

PRODUCT OPTIONALS

Product code 232-AMOV - Removability system for Stilo bollard

2

Datasheet Stilo Bollard Product code 232

Rev. 1 of 07/01/2020



ANTICORROSIVE TREATMENTS AND FINISHES

Washing

Spray treatment for removing oil and grease from metal surfaces using special degreasing liquids. Subsequent drying in dryer for 15 minutes.

Sandblasting

Manual sandblasting process with river sand, which increases the porosity of metal surfaces and thus the adhesion of thermosetting powders.

Anti-corrosive application

First painting cycle with an anticorrosive thermosetting powder primer based on epoxy resins and special pigments. It provides adequate protection against weathering.

Anticorrosive polymerization

Baking in an industrial curing oven at a temperature of 180°C. During this stage, the powder turns into a uniform, smooth and durable coating.

Colored finish application

Final coating cycle with thermosetting powders. Application follows the same principles as the anticorrosive.

Polymerization colored finish

Final baking in an industrial curing oven at a temperature of 180°C. The procedure follows the same principles as the curing of the anticorrosive. The powder is transformed into a uniform coating, and the surface appearance takes on the characteristics of the chosen color type, e.g. smooth, textured, wrinkled, etc.

Datasheet

Stilo Bollard Product code 232

Rev. 1 of 07/01/2020



CORPORATE CERTIFICATIONS

	DELIVERY
Product supplied in assembly kit with steel hardware and instructions for mounting and grounding.	
	FIXING
The product must be installed by cementing.	

ISO 9001:2015

Quality management system.

UNI EN ISO 3834-3:2021

Welding quality management system.

Processing center

Certificate of Processing Center

2/2